

DETAILED PROJECT REPORT
ON
SOLAR OPERATED WATER PUMP

Nature of Business	Solar Operated Water Pump
Capacity	3 HP DC (USPC)
Constitution	Individual
Cost of Project	2,32,444.00
Loan From Bank	1,42,255.00
Promoter Contributions	43,728.00 (Say 18.8%)
DSCR Ratio	
Term	7 Years
Project Outlook	Feasible

1. INTRODUCTION:

A solar-powered pump refers to a mechanized water pumping system that derives its operating power exclusively from renewable energy sources, primarily electricity generated through photovoltaic (PV) solar panels or, where applicable, thermal energy harnessed from concentrated or collected solar radiation. This form of energy generation functions independently of conventional electricity supply mechanisms such as the public utility power grid or fossil fuel-based sources, including but not limited to diesel-powered generators or engines.

The utilization of solar-powered pumps offers a range of economic and environmental advantages. From a financial perspective, such systems entail significantly lower operating and maintenance costs over their lifecycle, given the absence of fuel requirements and the minimal mechanical wear and tear typically associated with conventional internal combustion engine (ICE)-based systems. This makes them particularly suitable for cost-sensitive and resource-scarce settings.

From an environmental standpoint, solar-powered pumps produce negligible carbon emissions, do not contribute to air or noise pollution, and significantly reduce the dependency on non-renewable energy sources. As such, their adoption aligns with sustainable development objectives and government policies promoting clean and green energy infrastructure.

Moreover, the deployment of solar pump systems is especially advantageous in rural, agricultural, or remote regions where access to grid electricity is either unavailable, inconsistent, or economically infeasible. In such areas, solar-powered pumps ensure reliable water supply for irrigation and domestic use, thereby improving agricultural productivity, supporting livelihoods, and contributing to long-term rural development.

In view of the foregoing, solar-powered pumps represent a technically viable, economically efficient, and environmentally responsible alternative to traditional grid-connected or diesel-powered water pumping systems.

2. MAIN COMPONENTS REQUIRED FOR SOLAR WATER PUMP PROJECT:

A photovoltaic (PV) solar-powered pump system is a renewable energy-based water pumping mechanism comprising the following principal components:

- The Pump (which may be submersible or surface-mounted depending on site-specific requirements);
- The Controller (also known as the pump drive or solar pump inverter); and
- The Photovoltaic Solar Panels (the primary source of electrical energy for system operation).

It is pertinent to note that the solar panels constitute the major portion of the capital cost of the system, often amounting to approximately 80% of the total investment. The appropriate capacity or size of the PV array is directly contingent upon three critical factors:

- (a) the rated capacity and operational specifications of the pump unit,
- (b) the daily volumetric water requirement measured in cubic meters per day (m^3/day), and
- (c) the average solar irradiance or insolation levels available at the installation site.

The controller serves a dual technical function. First, it facilitates power optimization by aligning or regulating the electrical power output from the solar panels with the input power demand of the pump, thereby ensuring efficient energy transfer. Second, it provides protective functionality, including automatic disconnection of the system in instances where input voltage falls below or exceeds the permissible operating voltage range of the pump. This feature, commonly known as low voltage or overvoltage protection, contributes significantly to enhancing the operational longevity of the pump unit and reduces the frequency and cost of maintenance interventions over time.

With respect to motor specifications, the driving motor used in a solar-powered pump system may be designed to operate on either direct current (DC) or alternating current (AC), depending upon the system configuration. In scenarios where an AC motor is employed, the incorporation of an inverter becomes necessary. This inverter functions to convert the direct current (DC) output of the photovoltaic panels into alternating current (AC) compatible with the motor's operational requirements.

It is further emphasized that the design and capacity of both the solar panel array and the inverter must be appropriately calibrated and scaled to accommodate the inrush current characteristics typically associated with the startup phase of AC motors. Failure to account for such

electrical load dynamics may result in system inefficiencies or premature equipment failure.

3. WATER PUMPING

Solar-powered water pumping systems, operating through photovoltaic (PV) technology, are recognized as renewable energy-based solutions capable of delivering water for multiple purposes, including drinking water supply, livestock consumption, and agricultural irrigation. These systems are particularly suitable for small-scale or community-managed irrigation projects, especially in rural and remote areas where access to conventional grid electricity is either unavailable or economically unfeasible.

In such decentralized applications, solar PV pumps offer a reliable, sustainable, and low-maintenance alternative to traditional water pumping systems. However, in the case of large-scale irrigation operations, the volume of water required is significantly higher, which consequently necessitates a proportionally large solar PV array to meet the higher energy demand.

Given that irrigation requirements are typically seasonal, the installation of an oversized PV system may result in excess energy generation during non-irrigation months, leading to underutilization of the system and a decrease in its overall efficiency and cost-effectiveness.

In India, solar photovoltaic water pumping systems are widely deployed and promoted for use in both agricultural irrigation and the supply of drinking water, particularly in areas where conventional infrastructure is lacking. These systems support the broader objectives of sustainable energy adoption, enhancement of rural water access, and climate-resilient agricultural practices in line with national policies and development goals.

4. SOLAR WATER PUMP PROJECT SYSTEM FOR SMALL IRRIGATION PROJECTS

Energy constitutes an essential and strategic input for the overall economic development and social upliftment of a nation. In this context, the Republic of India is abundantly endowed with renewable energy resources, particularly solar energy, which holds significant potential to address the country's growing energy demands in a sustainable and environmentally responsible manner.

A substantial segment of the population, especially in rural and remote regions, remains either unserved or underserved by the national power grid. In such areas, individuals are often compelled to rely on fossil fuel-based alternatives, such as kerosene and diesel, to meet their basic energy requirements. This dependence not only imposes a significant recurring financial burden—particularly on economically weaker sections of society—but also contributes to environmental degradation and health-related risks.

Even in rural areas that have been connected to the centralized electricity grid, the quality, reliability, and consistency of power supply remain a serious concern. Farmers, in particular, face critical challenges during peak agricultural seasons, as the intermittent and erratic electricity supply severely impacts irrigation and crop productivity. The need for a continuous, stable, and reliable source of energy for agricultural operations remains a matter of significant policy and developmental concern.

India receives an estimated 5,000 trillion kilowatt-hours (kWh) of solar energy per annum, with an average daily solar energy incidence ranging between 4 to 7 kilowatt-hours per square meter (kWh/m²). This solar resource availability far exceeds the nation's current total annual energy consumption. Furthermore, a majority of geographical regions across India experience 250 to 300 days of clear sunlight annually, thereby

establishing solar energy as a technically viable and geographically widespread energy solution for most parts of the country.

In light of the above, decentralized renewable energy systems, particularly those based on solar energy, represent a pragmatic and scalable alternative to grid-based electrification. These systems utilize locally available, inexhaustible resources and are especially suitable for remote and inaccessible areas where the extension of grid infrastructure is either not feasible or not economically viable.

Solar energy, due to its virtually infinite availability, non-polluting nature, and free access, is universally recognized as a clean and sustainable energy source capable of meeting the long-term energy needs of humanity. Growing concerns regarding the rapid depletion of fossil fuels, their escalating costs, and the adverse environmental impacts of conventional energy sources have catalyzed a significant global and national interest in the widespread development and deployment of solar power technologies.

For the effective planning, design, and implementation of solar energy systems at any given location, it is imperative to obtain and analyze comprehensive and location-specific solar resource data. Such data must include, inter alia:

- (a) the intensity of solar radiation,
 - (b) the spectral distribution of sunlight,
 - (c) the incident angle of solar rays, and
 - (d) the frequency and duration of cloud cover,
- all measured as a function of time.

This data forms the basis for technical feasibility assessments, system sizing, performance simulations, and economic evaluations, and is critical to optimizing the design and efficiency of solar energy systems tailored to specific regional and environmental conditions.

5. SOLAR ENERGY FOR AGRICULTURE

The demand for electrical energy in India, particularly in the agricultural sector, is increasing at an exponential rate and has significantly outpaced the available supply. This growing energy deficit presents a serious challenge to the sustainability of agricultural operations, which are inherently dependent on both direct and indirect energy inputs. Agricultural productivity is intrinsically linked to the availability, affordability, and reliability of energy supply, and therefore, it is imperative that policy interventions are formulated and implemented to strengthen this interdependence in a manner that serves the interests of the farming community.

In order to realize meaningful and inclusive rural development, it is essential that energy inputs are made adequately and consistently available in rural and agrarian regions. Achieving this objective necessitates nationwide efforts to promote and harness renewable sources of energy, with particular emphasis on solar energy, which remains vastly underutilized relative to its potential.

A significant portion of the rural population, especially those residing in remote and geographically isolated areas, continues to be excluded from access to conventional grid-based electrification. The financial and infrastructural burden associated with extending high-tension utility grid lines to sparsely populated and distant agricultural zones is prohibitively high, making such endeavors economically unviable for the Government in many cases, particularly when intended to meet seasonal or low-density agricultural electricity loads.

In this context, the promotion and deployment of solar-powered water pumping systems, integrated with water conservation measures and scientific agricultural practices, assume critical importance. These systems offer a sustainable and decentralized energy solution that can contribute to the optimal utilization of available water resources and provide small and marginal farmers with reliable access to irrigation,

thereby supporting agricultural resilience and long-term rural livelihood security.

To ensure the success and scalability of such interventions, there is an urgent need for inter-sectoral collaboration. This collaborative approach should encompass all relevant stakeholders, including the Government (at both central and state levels), financial institutions and banks, community-based organizations (CBOs), non-governmental organizations (NGOs), and the private sector. The design and implementation of appropriate institutional mechanisms are essential to facilitate this cooperation and to enable effective coordination between the agriculture and energy sectors, which are inextricably linked in the context of rural development.

The establishment of such frameworks would not only enhance resource efficiency and service delivery but also promote innovation, reduce systemic gaps, and accelerate the achievement of national objectives related to sustainable agriculture, renewable energy adoption, and equitable rural development.

6. PHOTOVOLTAIC POWER GENERATION

Photovoltaic cells, widely referred to as solar cells, are semiconductor devices that convert sunlight—specifically the light portion of the solar spectrum—directly into electrical energy using the photovoltaic effect. This effect occurs when photons from sunlight strike the surface of the cell, exciting electrons and generating an electric current. Typically made from silicon or other semiconductor materials, photovoltaic cells are assembled into modules and panels to produce larger quantities of electricity suitable for various applications, ranging from small-scale residential setups to large-scale solar farms.

The global adoption of photovoltaic technology has seen exponential growth over the past two decades, making it one of the most rapidly expanding renewable energy sources in the world. This rapid expansion

is driven by a combination of factors, including increased environmental awareness, international climate commitments, advancements in material science, and significant reductions in production and installation costs. In fact, the cost per watt of solar-generated electricity has decreased dramatically, making it more competitive with traditional fossil fuel-based energy sources.

One of the most promising aspects of photovoltaic technology lies in its potential to revolutionize energy access in rural and underdeveloped regions, particularly in developing countries. Many of these areas suffer from unreliable or non-existent grid infrastructure, leading to energy poverty that hampers economic and social development. Photovoltaic systems, being modular and decentralized, can be installed virtually anywhere sunlight is available, making them ideal for off-grid electrification. They require minimal maintenance, operate silently, and produce no emissions during operation, further enhancing their suitability for sustainable rural development.

Large-scale manufacturing of photovoltaic cells has reached a point where economies of scale are significantly lowering costs. Simultaneously, ongoing research and development in next-generation solar technologies—such as perovskite solar cells, bifacial panels, and tandem structures—promise to further enhance efficiency, durability, and affordability. Innovations in energy storage systems and smart grid integration are also playing a crucial role in making solar energy more consistent and reliable, even in regions with variable sunlight.

As the global community continues to prioritize sustainable development and climate resilience, photovoltaic technology is poised to play a central role in transforming the energy landscape. In rural areas of developing nations, the integration of photovoltaic systems can catalyze improvements in healthcare, education, agriculture, and small-scale industry by providing a stable and clean source of electricity. With supportive policies, investment in infrastructure, and continued

technological innovation, solar energy can become a cornerstone of inclusive and sustainable rural development worldwide.

7. PROJECT JUSTIFICATION

Before the Installation of the Solar Operated Water Pump:

a. Dependence on Traditional Electric Pumps with Temporary Grid Connection:

Before the deployment of the Solar Operated Water Pump, water extraction for irrigation and other needs was carried out using conventional electric pumps that operated on temporary electrical connections. These connections were not permanent and were often sanctioned on a seasonal or ad-hoc basis, which made the entire system fragile and unreliable. The temporary nature of the connection meant that farmers had limited control over when and how much water could be extracted, often resulting in inefficient water usage and poor agricultural output.

b. Restricted Power Availability and Operational Limitations:

These electric pumps were entirely dependent on the local power grid, which in most rural areas operates on a fixed and often inconvenient schedule—most commonly during night hours. This fixed timing posed a significant hurdle, as the water was needed during the day for irrigation, livestock, and domestic usage. Furthermore, the rural grid infrastructure is frequently unreliable, with unannounced power cuts, voltage fluctuations, and occasional complete blackouts. As a result, the timing

of water availability rarely matched actual demand, which had a direct negative impact on crop health and farm productivity.

When power was not available from the grid, farmers had no choice but to resort to alternative methods to operate the pumps—primarily using diesel generators. While this ensured continuity of irrigation, it came at a heavy financial cost. Diesel prices are volatile and generally high, making fuel-based pumping significantly more expensive than grid electricity. Additionally, the use of diesel contributes to increased greenhouse gas emissions, local air pollution, and environmental degradation. The noise and maintenance requirements of diesel engines further added to the operational burden on farmers.

c. Complete Lack of Electricity in Some Cases—Dependence on Diesel Pumps:

In a considerable number of cases, especially in remote or underserved rural areas, farmers lacked any form of electrical connection altogether. These beneficiaries were completely excluded from the electric grid and had no access to public power infrastructure. For such farmers, irrigation was entirely dependent on diesel-powered pumps. This method is not only capital-intensive—due to the recurring costs of diesel, engine oil, and maintenance—but also labour-intensive, as pumps need to be manually operated and monitored. The high input cost of fuel-based irrigation directly reduces farmers' net income and discourages them from cultivating water-intensive or high-yield crops, thereby restricting agricultural growth and sustainability.

After the Installation of the Solar Operated Water Pump:

a. Harnessing the Sun as a Clean, Consistent, and Cost-Free Source of Energy:

The installation of the Solar Operated Water Pump has brought about a paradigm shift in the way water is accessed and utilized for agriculture

and daily needs. Solar energy, an abundant and renewable resource, is now being harnessed through photovoltaic panels to generate electricity required to operate the pump. The system captures solar radiation during the day and directly powers the water pump without any intermediate fuel or grid requirement. Since sunlight is naturally available for several hours every day in most regions, the availability of energy for pumping water has become consistent and predictable.

b. Independence from the Grid and Elimination of Power Supply Uncertainty:

The most significant benefit of the solar pump system is the complete elimination of dependency on the conventional electricity grid. Farmers and users are no longer constrained by the fixed and inconvenient schedule of grid supply. The solar pump begins operation as soon as there is sufficient sunlight, which is usually early in the morning, and continues throughout the day. This ensures maximum utilization of daylight hours for pumping water, aligning perfectly with the actual water demand pattern for irrigation and other uses. With this autonomy, the unpredictability and anxiety associated with power availability have been completely removed.

c. Efficient Water Storage and Availability Round-the-Clock:

The solar pump gradually fills the overhead or ground-level water storage tanks throughout the day. This continuous operation allows the system to maintain adequate water reserves to sustain overnight requirements, even in the absence of sunlight. Whether for irrigation, cattle feeding, or domestic use, water is now reliably available 24x7. This has significantly improved the efficiency of water distribution on farms, enhanced crop scheduling, and ensured that even water-intensive crops receive consistent hydration.

d. Reduction in Operational Costs and Environmental Impact:

The transition to solar-powered irrigation has resulted in a drastic reduction in operational expenses. There are no recurring fuel costs, and maintenance requirements are minimal compared to diesel or electric pumps. Over time, the capital investment in solar infrastructure pays for itself through savings on fuel and electricity bills. Moreover, since the solar system emits no greenhouse gases during operation, it contributes to environmental protection and supports the global agenda of transitioning towards low-carbon, climate-resilient agriculture.

e. Socio-Economic Empowerment of Farmers:

With access to a reliable and cost-effective water pumping solution, farmers are now in a better position to plan their cropping cycles, diversify their cultivation, and improve overall farm productivity. The reduction in energy costs leads to improved profitability and better livelihoods. Additionally, the time and labour saved from not having to manage diesel or erratic electric pumps can be redirected toward other productive activities. This transformation promotes not just agricultural sustainability, but also rural economic development, self-reliance, and energy independence.

8. COST OF PROJECT

Particulars	Amount (Rs.)
Solar Project Cost 3 HP DC USPC	2,32,444.00
Total	2,32,444.00

9. MEANS OF FINANCE

Particulars	Amount (Rs.)
Cost of project	2,32,444.00
Own Contribution	43,728.00
Loan required from bank	1,42,255.00

Percentage of promoter contribution (%)	18.8 %
---	--------

10. ASSUMPTIONS

This Project Report has been compiled based on the facts, figures, and information made available to us at the time of its preparation. It is important to note that the projections contained herein are indicative in nature and are based on certain assumptions outlined below. These projections do not constitute any form of certification, assurance, or guarantee regarding the actual results that may be achieved. No prediction or forecast is being made through this report, and the actual financial and operational outcomes may vary significantly depending on prevailing conditions and unforeseen circumstances at the time of implementation.

While preparing the financial estimates and projections, the following assumptions have been adopted for the sake of standardization and uniformity:

a) Inflationary Impact: The effect of inflation on cost and revenue projections has been deliberately excluded from the analysis to maintain simplicity and focus on core financial metrics.

b) Bank Rate of Interest: It has been assumed that the applicable bank rate of interest for the purpose of financing and loan servicing is 8.3% per annum, consistent with the average prevailing rates during the assessment period.

c) Depreciation/Amortization Rate: A uniform rate of 15% per annum has been applied for the calculation of depreciation and amortization on capital assets, in line with generally accepted accounting principles and applicable tax norms.

d) Loan Repayment Structure: The Equated Monthly Installment (EMI) for the loan component has been calculated assuming monthly repayments over the tenure of the loan.

In support of the above projections and assumptions, the following financial statements and charts are enclosed herewith and shall be deemed to form an integral part of this Project Report:

a) Projected Balance Sheet – Outlining the estimated financial position over the projected period.

b) Projected Profitability Statement – Presenting the expected income, expenses, and profit margins of the project.

c) Debt Service Coverage Ratio (DSCR) Chart – Reflecting the project's ability to meet debt obligations based on projected earnings.

d) Interest Chart – Providing a detailed breakdown of interest payments over the loan tenure.

These documents are intended to provide a conceptual financial overview of the project under the given assumptions and must be interpreted accordingly. Stakeholders are advised to exercise due diligence and consult financial experts for decision-making purposes.

PROJECTED BALANCE SHEET FOR SEVEN YEARS

Particulars	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6	Year 7
Capital							
Op Capital							
Add : beneficiery Share							
Add : CFA Subsidy							
Add : Profit							
Less : Withdrwal							
Net Capital							
Loan Funds							
Term Loan							
Total Liabilities							
Application of funds							
Fixed Assets							
Cash & Bank balance							
Total Assets							

PROJECTED PROFIT & LOSS ACCOUNT FOR SEVEN YEARS

[illegible]

DSCR FOR SEVEN YEARS

Particulars	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6	Year 7
Net Profit Before Tax							
Add Depreciation							
Add: Interest							
Net Operation Income							
Debt Repayment (EMI)							
DSCR							

DETAILS OF BANK INTEREST AND AMOUNT PAYABLE AT END OF EACH YEAR.

Particulars	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6	Year 7
Principal							
Interest							
Total Payment							
Balance							